



FEATURING **DIAMOND CRETE™** WITH SMOOTH SURFACE TECHNOLOGY

Welcome To Capitol Hardscapes

Since 1925, concrete has been the family business, with this heritage we bring to your family the wealth of knowledge of what it takes to manufacture hardscape products that will stand the test of time. As a fourth generation family business we are actively involved with the day to day operations with an unwavering dedication to producing hardscapes of outstanding quality, beauty and strength.

Our products are conceived to bring out the very best for your hardscape design with shapes, colors and textures that will enhance your creative options. We invite you to explore and be inspired about designing your own outdoor oasis and the combination of elements that make Capitol the natural choice for your hardscape project...after all exceptional results start with exceptional materials.

Not All Paving Stones Are Created Equal

Capitol's DiamondCrete with Smooth Surface Technology is a proprietary process developed to enhance the appearance and durability of our Natural and Classic paver collections.

DIAMONDCRETE™

Smooth ♦ Surface ♦ Technology

With DiamondCrete you get vibrant color saturation combined with a silky smooth surface assuring you beauty that will last a lifetime. Plus, unlike most face mix pavers with DiamondCrete the color runs all the way through from top to bottom. Before you make any paving stone purchase please see **page 5** and learn more about this unique process.

Where To Buy Capitol Hardscapes

Capitol products are available through an independently owned distributor network. They have the expertise to answer your questions and many offer extensive Capitol product displays. A complete list of our distributors can be found at our web site, capitolconcrete.com or you can call 800-254-5098.



Scan to schedule a **FREE** in home consultation

Let Us Help You

If you have a project in mind but need some assistance, Capitol is here to help. An experienced Capitol sales representative will make a convenient appointment to visit you at your home and assist you with project ideas, samples, literature and contractor referrals. To sign up, visit our web site capitolconcrete.com, call 800-254-5098, or **scan the above code** with your smart phone.



New Products For 2012



Bedford Slate Stone with DIAMONDCRETE

The Bedford 3-piece paver system reproduces the texture and appearance of natural slate. See **page 28** for more information.



Artesia with DIAMONDCRETE

The 6" x 9" Artesia paver beautifully captures the stylish appearance of slate, just right for any landscape project you can imagine. See **page 29** for more information.



Courtland Natural Impressions

Available in three distinctive shapes, it combines the durability of concrete with the character of natural flagstone. See **page 30** for more information.



6" Summit Wall (Vintage Series)

Summit's clean, classic appearance will make any project come alive. It's unique double sided face is perfect for both retaining and free standing wall applications. See **page 61** for more information.



Edgestone Border

Edgestone border provides a natural Belgian block appearance ideal for bordering driveways, walkways and flower beds. See **page 66** for more information.



Landscape Steps

Create an elegant entrance to your home or raised patio with Capitol's landscape steps available to you in two sizes and colors. See **page 78** for more information.

Contents


5 DiamondCrete	27 Collection Natural	43 Collection Antiqued	57 Wall Stones	78 Landscape Steps/Ballast Block
6 Portfolio	31 Collection Classic	52 Collection Embossed	68 Collection Homescape	80 Installation Guides

The cover photo was shot in Morganville, NJ and shows many different Capitol products. The pavers are Trinity 3-piece/Sandstone color; the walls/caps and piers are Millennium/Pearl color; the steps and pool coping is Bullnose/Sandstone color. The fireplace in the background is custom built using Centurion wall stones. Cover outdoor furniture courtesy of Matawan World of Gardening, Old Bridge, NJ. Installation by Nicosia Masonry, Millstone Twp, NJ.

Please note: due to photo lighting the products shown may not represent actual colors. All published sizes of Capitol's pavers and wall products are nominal and approximate.

What You Should Know Before You Buy

We think it is important to have an understanding of the different paver manufacturing processes and the resulting characteristics; this will help you in making a more informed decision on what type of paver will ultimately suit your needs.



1 No Face Mix / Color Through

With this process the concrete and color are mixed and poured together providing the same color and consistency throughout the paver. Generally speaking with this type of paver you may see larger aggregate stones and voids within the surface appearance as well as experience a rougher surface texture.



2 Face Mix / Surface Color Only

This process consists of an ultra-dense layer of fine granular sand on the paver surface which allows for improved color saturation and smoother appearance. The drawback is the possibility of surface deterioration and subsequent exposure of the uncolored material beneath the face mix layer. This technique uses less color pigment providing the manufacturer a cost savings benefit.



3 Face Mix / Color Through

Using this process offers an ultra-dense layer of fine granular sand on the paver surface which provides greater color saturation as well as a smoother appearance. Added to this is the further benefit of having the same color that appears on top running through the entire paver-top to bottom. This manufacturing method provides the ultimate in consistency and color dispersion.

Why You Should Buy Capitol Pavers With DIAMOND CRETE™

Smooth ♦ Surface ♦ Technology

Capitol's DiamondCrete with Smooth Surface Technology is a proprietary face mix paver with an ultra-dense surface providing more vibrant color saturation that **runs all the way through the paver from top to bottom.**

Plus, with DiamondCrete's Smooth Surface Technology you'll experience a silky smooth surface texture to the touch with the added benefit of being skid resistant.

The investment in a new paver installation for your house is a major decision and it is important to understand what it is that you're getting in terms of appearance and performance. With Capitol's DiamondCrete you can rest assure that the beauty and strength it provides will last a lifetime.



With Capitol's DiamondCrete the same color that appears on the top goes through the entire paver. Smooth to the touch, abrasion resistant...when it comes to pavers DiamondCrete sets the new standard.

With Capitol's DiamondCrete™ You Get:

✓	A perfectly smooth silk-like surface
✓	Vivid color saturation
✓	Full color from top to bottom
✓	Meets ASTM 936 for compressive strength
✓	Meets ASTM water absorption standards
✓	Resistant to de-icing salts
✓	Limited Lifetime Warranty
✓	ADA Approved

When a paver absorbs water and freezes it can expand, which over time may break down the concrete cells and affect the overall integrity. ASTM C-936 testing standards call for an average water absorption no greater than 5%, Capitol paver's exceed this...typically testing in the 2 to 3% range.





A


A:
Genesis 3-piece pavers with Bristol II border, Centurion wall/cap and pier (RiverBed). Outdoor Kitchen (in background) built using Centurion wall stones.

B:
Trinity 3-piece pavers and Circle Stone kit (Sandstone) with Centurion wall/caps and piers/caps. Patio also features a custom built fireplace constructed using Centurion wall stones.

C:
Trinity 3-piece pavers (Sandstone) with Centurion wall/caps and Bullnose steps.



B



C

WELCOME TO CAPITOL'S HARDSCAPES



A

A:
Country King I pavers (Buff) with Centurion wall/caps and piers/caps. Installation also features a unique custom built fireplace constructed using Centurion wall stones.



B

B:
Bristol I & II pavers (Butternut) with Centurion wall and cap used as a border around the raised patio area.



C

C:
Trinity 3-piece pavers (Adobe Ash) with Centurion wall/caps, piers/caps and steps.



A

A:
Country King I & II pavers (Brown) with
Country King II border (Charcoal).

B:
Genesis 3-piece tumbled pavers with
Bullnose pool coping (Butternut) and
Centurion wall/caps and piers.

C:
Trinity 3-piece pavers with Country King I
and Bullnose pool border/coping.




B



C



A



B

A:
Genesis 3-piece tumbled pavers (Magnolia) with Bullnose steps, Centurion walls/caps and Fire Pit.

B:
Lexington 5-piece tumbled pavers (Hickory Ash) installed on its smooth side with 3" & 6" Vintage freestanding wall and piers.

C:
Bristol I & II tumbled pavers (Toasted Almond) with Bullnose pool coping.



C




A:
Bristol I & II tumbled pavers
(Toasted Almond).

B:
Holland Stone with Circle Stone kit (Slate)
and Millennium wall/caps and piers.

C:
Lexington 5-piece embossed tumbled
pavers (Magnolia).

A



C



B



A



B

- A:
Country King I (Buff).
- B:
Country King I & II (Sandstone) with
Country King I border (Slate).
- C:
Trinity 3-piece pavers with Country
King I border (Slate).



C



- A:
Bristol I & II tumbled pavers (Butternut)
with Bristol I border (Chocolate).
- B:
Genesis 3-piece tumbled pavers (Riverbed)
with Bristol I border (Butternut).
- C:
Bristol I & II tumbled pavers with alternating
Bristol I & II border (Magnolia).





- A:
Genesis 3-piece tumbled pavers (RiverBed)
installed without using a border paver.
- B:
Bristol I & II pavers (RiverBed) with Centurion
piers and steps.
- C:
Bristol I & II pavers (RiverBed) with Bullnose
steps.




A

- A:
Centurion tumbled wall/caps and piers (Butternut).
- B:
Centurion tumbled wall/caps (Pearl).
Note the serpentine installation of the wall as it borders the walkway and garden areas.
- C:
Centurion tumbled wall/caps (Magnolia).

Freestanding wall




B




C



A:
Combination of 3" & 6" Vintage wall with cap (RiverBed).
B:
Centurion tumbled wall/caps (Butternut) with pier and Bullnose steps.



C:
Millennium wall/caps (Pearl) with Bullnose steps. Pavers are Trinity 3-piece (Sandstone).
D:
Combination of 3" & 6" Vintage wall with cap (Butternut) and piers. Installation note: You have the option of installing the 3" & 6" Vintage wall on alternating courses.





A



B

In addition to Capitol's pre-built outdoor kitchen (see page 72) you can use our Centurion or Millennium wall stones to build the perfect outdoor cooking environment suited to your individual taste.



C

A:
Centurion wall stone (Toasted Almond)

B:
Centurion wall stone (Butternut)

C:
Millennium wall stone (Pearl)

COLLECTION

Natural

The newest addition to the Capitol collection of paving stones is crafted to imitate the eye-catching features found in natural slate stone, while providing the dependability and consistency of our manufacturing process.

Within this collection you will find both the Bedford and Artesia which are manufactured using our exclusive DiamondCrete process. The Courtland features the look and texture of large size cut flagstone allowing for ample design and flexibility.

DIAMONDCRETE™
Smooth • Surface • Technology

NEW	Bedford Slate Stone	28
NEW	Artesia Slate Stone	29
NEW	Courtland Natural Impressions	30



Bedford Slate Stone WITH DIAMOND CRETE™

Smooth • Surface • Technology

COLLECTION NATURAL



Sedonia

The Bedford 3-piece paver system was developed to provide you the richly defined textured look of slate with the durability and strength that Capitol builds into all its pavers. This paver system is crafted for use in all applications including vehicular traffic.

The Artesia 6" x 9" paver makes the perfect border treatment.



Slate



12" x 12" x 2 3/8" 6" x 12" x 2 3/8" 6" x 6" x 2 3/8"

Each pallet contains all 3 shapes/Random Installation

Product Number	Sq. Ft. Per Pallet	Sq. Ft. Per Layer	Layers Per Pallet	Weight Per Pallet
TG68	135.70	13.57	10	3,938 lbs.

Colors



Sandstone



Sedonia



Slate

Installation note: To help avoid scuff marks, Capitol recommends the use of a neoprene or rubber mat attachment on the plate compactor.

Please see page 42 for larger color representation.

Artesia Slate Stone WITH DIAMOND CRETE™

Smooth • Surface • Technology

COLLECTION NATURAL



Slate

Artesia beautifully captures the stylish appearance of slate stone and is ideal for almost any hardscape project you can imagine. It is suitable for high traffic areas including driveways.

Artesia offers multiple laying patterns and also makes the perfect border for the 3-piece Bedford paver system.



6" x 9" x 2 3/8"

Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Sq. Ft. Per Band	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
TG69	111.62	270	2.42	22.32	54	5	3,239 lbs.

Colors



Adobe Ash



Charcoal



Sandstone



Sedonia



Slate

Installation note: To help avoid scuff marks, Capitol recommends the use of a neoprene or rubber mat attachment on the plate compactor.

Please see page 42 for larger color representation.

Courtland Natural Impressions

COLLECTION NATURAL



Tan Variegated

Available in three shapes on separate pallets, Courtland combines the durability of concrete with the character of natural flagstone. It is the ideal choice for those looking to add enduring quality and timeless appeal to courtyards, pool areas, terraces, walkways and patios.



24" x 24" x 1 1/2" 12" x 24" x 1 1/2" 12" x 12" x 1 1/2"

Product #:	R21	R20	R19
SF/Pallet:	176	180	100
Pieces/Pallet:	44	90	100
Weight/Pallet:	3,080 lbs.	3,150 lbs.	1,750 lbs.



Tan Variegated

The eye-catching circle kit requires no cutting and includes the pieces that fit around the circle which provide squared off edges.

Circle Kit Specifications
 Product # R22 / SF Per Pallet: 100 / Circle diameter: 7' 10"
 With outside pieces 10' x 10' / Weight Per Pallet 1,700 lbs.

Colors



Tan Variegated



Gray Flash

Installation note: Capitol does not recommend the use of any type of plate compactor on this product.

Please see page 82 for Courtland laying patterns as well as circle kit pattern.

Courtland creates a stunning appearance well suited for pedestrian traffic use but is not intended for vehicular applications. Slabs are palletized upright.

COLLECTION Classic

Capitol's Classic Pavers have been used in just about every type of paver installation you can think of. From driveways to patios to walkways, these pavers are the mainstay of hardscaping today.

Most of our Collection Classic pavers feature DiamondCrete with Smooth Surface Technology.

DIAMOND CRETE™
 Smooth • Surface • Technology

Country King I	32
Country King I & II	33
Country Combo	34
Trinity	35
Bullnose	36
Holland Stone	37
10 ft. Circle Stone	38
Kingston	39
Engraved Pavers	40
Colonial Cobble	40
Astro Pavers	41
Eco-Logic Pavers	41
Colors	42



Country King I WITH DIAMOND CRETE™

Smooth • Surface • Technology

COLLECTION CLASSIC



Sandstone

Inviting and comfortable...warm and relaxing. That's the look and feel you'll realize with Country King I. You can choose from several eye pleasing patterns. It is also perfect to use as a border for any of the Collection Classic pavers.



Sandstone



6" x 9" x 2 3/8"

Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Sq. Ft. Per Band	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
TG61	111.62	270	2.42	22.32	54	5	3,239 lbs.

Country King I & II WITH DIAMOND CRETE™

Smooth • Surface • Technology

COLLECTION CLASSIC



Brown

An elegant combination, the Country King I & II with its stylish beveled edges provides for the perfect landscape design.



6" x 9" x 2 3/8"
TG61



6" x 6" x 2 3/8"
TG60

Separate pallets

Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Sq. Ft. Per Band	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
6" x 9" TG61	111.62	270	2.42	22.32	54	5	3,239 lbs.
6" x 6" TG60	115.75	420	3.63	16.54	60	7	3,359 lbs.

Note: See pattern formulas on page 82.

Colors



Please see page 42 for larger color representation.

Colors



Please see page 42 for larger color representation.

Country Combo WITH DIAMOND CRETE™

Smooth • Surface • Technology

COLLECTION CLASSIC



Sedonia

Adding texture and dimension to your outdoor living area results in a rich, elegant appearance. With Country Combo's three distinctive shapes you can create appealing patterns that work for any hardscape design.



Slate



6" x 9" x 2 3/8" 6" x 6" x 2 3/8" 3" x 6" x 2 3/8"

Each pallet contains all 3 shapes

Product Number	Sq. Ft. Per Pallet	Sq. Ft. Per Band	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
TG62	115.75	16.54	60	7	3,359 lbs.

Colors



Adobe Ash



Chestnut



Sandstone



Sedonia



Slate

Please see page 42 for larger color representation.

Trinity WITH DIAMOND CRETE™


Smooth • Surface • Technology

COLLECTION CLASSIC



Slate

Make a statement of refinement and elegance, the 3-piece collection features a slightly rounded edge that is ideal for any installation from driveways, walkways to patios. Create your perfect setting with Trinity.



12" x 12" x 2 3/8" 6" x 12" x 2 3/8" 6" x 6" x 2 3/8"

Each pallet contains all 3 shapes/Random Installation

Product Number	Sq. Ft. Per Pallet	Sq. Ft. Per Layer	Layers Per Pallet	Weight Per Pallet
TG64	135.70	13.57	10	3,938 lbs.

Colors



Adobe Ash



Chestnut



Sandstone



Sedonia



Slate

Please see page 42 for larger color representation.

Bullnose

COLLECTION CLASSIC



Sedonia

Whether you're designing a pool edge, seating wall or stairway you will need a finishing touch that lends both style and safety. Our Bullnose paver features a smooth rounded edge that gives you a refined appearance. And with a wide range of available colors, you can add matching or contrasting details that will give definition to any setting.



Slate



4" x 12" x 2 3/8"

Product Number	Ln. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Ln. Ft.	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
Y56	120	360	3	90	4	3,034 lbs.

Colors



Please see page 42 for larger color representation.

Holland Stone WITH DIAMOND CRETE™

Smooth • Surface • Technology

COLLECTION CLASSIC



Slate

The design flexibility and range of colors has made Holland Stone a traditional favorite year after year.



4" x 8" x 2 3/8"

Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Sq. Ft. Per Band	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
TG50	109.40	540	4.94	18.23	90	6	3,175 lbs.

Commercial Applications: Holland Stone is also available with an increased thickness of 3 1/8" (80mm) to accommodate heavy vehicular traffic and other commercial or municipal applications. This 3 1/8" paver is special order not available in the DiamondCrete finish.

Colors



Please see page 42 for larger color representation.

10 ft. Circle Stone WITH DIAMOND CRETE™


Smooth • Surface • Technology

COLLECTION CLASSIC




Slate

There are so many ways to feature a Circle Stone in your installation...it can become the pleasing centerpiece of your patio, an appealing focal point within your driveway or added dimension to your entrance or walkway. It is also an excellent way to integrate a color accent into any hardscape design.



Sandstone

Circle Pattern



-  Center
2 pieces
-  Half
3 pieces
-  Small
16 pieces
-  3 Quarter
154 pieces
-  Large
209 pieces

Our kit contains enough pieces of each paver to allow you to create any size circle you want up to 10 ft. in diameter. Please visit capitolconcrete.com for installation details.

Product Number	Sq. Ft. Per Pallet	Weight Per Pallet
TG65	87.00	2,263 lbs.

Colors



Please see page 42 for larger color representation.

Kingston

COLLECTION CLASSIC



Slate

With its clean-cut shape and traditional appeal, Kingston is an excellent choice for a variety of residential and commercial applications.



8" x 8" x 2 3/8"

Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Sq. Ft. Per Band	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
Y88	119.10	288	2.42	19.85	48	6	3,456 lbs.

Colors



Please see page 42 for larger color representation.

Engraved Pavers WITH DIAMOND CRETE™

Smooth • Surface • Technology

If fundraising is in your plans, Capitol Engraved Pavers offer you one of the best ways to achieve success. Each paver can be engraved with a message, name or special occasion and become part of a beautiful walkway, court yard or memorial.

Available Engraved Paver Styles



Country King I
6" x 9" x 2 3/8"



Holland Stone
4" x 8" x 2 3/8"

Style	Product Number	Characters/Lines
Country King I	TG61	16 characters / 4 lines
Holland Stone	TG50	15 characters / 3 lines



Avant Garde typeface

Bauhaus Medium typeface

Please refer to Country King I & Holland Stone product pages for color availability.

Colonial Cobble WITH DIAMOND CRETE™

Smooth • Surface • Technology

Because of its distinctive look, Colonial Cobble remains one of the most popular pavers for residential and commercial projects. Our Colonial Cobble will add a welcoming touch to any entrance, walkway or driveway.



6 1/8" x 8 3/4" x 2 3/8"



Sedonia

Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Sq. Ft. Per Band	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
TG53	111.00	400	3.60	22.20	80	5	3,221 lbs.

Colonial Cobble Colors



Adobe Ash



Chestnut



Sedonia



Slate

Please see page 42 for larger color representation.

Astro Paver

The unique design of this paver allows rainwater to be filtered back into the ground naturally. The voids in the paver allow for vegetation or gravel fill to provide both an aesthetic and erosion control benefit. Applications include emergency access areas, embankments, spillways and environmentally sensitive areas. Astro Paver is not recommended for frequently traveled vehicular traffic.



16" x 24" x 3 1/8"



Natural



Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
Y59	126.40	48	0.38	24	2	2,870 lbs.

Eco-Logic

As urbanization increases, so does the concentration of impermeable surfaces that produce additional water runoff and may play a part in erosion as well as the potential to carry pollutants.

Capitol's Eco-Logic promotes the proper percolation of surface water into the ground, thus allowing the water to return naturally to its source. The bedding material maximizes storage, filtering and treatment of pollutants in the storm water runoff entering the pavement surface. Eco-Logic's porous and permeable surface also creates viable rooting space for trees in the midst of heavy pedestrian traffic.



4" x 8" x 2 3/8"

Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Sq. Ft. Per Band	Pieces Per Band	Bands Per Pallet
Y90	125.6	540	4.3	20.9	90	6

Note: Eco-Logic paver is special order. Please contact your Capitol Distributor for information and color options.

Colors



Adobe Ash



Brown



Buff



Cardinal



Charcoal



Chestnut



Natural



Sandstone



Sedonia



Slate

Please refer to the Collection Natural and Classic product pages for specific paver color availability. Actual product colors may vary. Capitol recommends that you base your final selection on actual product samples. It is highly recommended when installing blended or solid color pavers to choose from several pallets to best disperse the gradation of the color(s).

The paving stones shown are Country King I.

— COLLECTION — **Antiqued**

Crafting the paver to resemble an “antiqued” natural stone appearance...the skillfully distressed surface and edges whisper quiet sophistication, bringing a distinctive charm to any hardscape design. As a result of this unique treatment no two pavers will look the same delivering a beautiful and lasting complement to any surrounding.

Bristol I	44
Bristol I & II	45
Stratton	46
Genesis	47
Bullnose	48
Deerfield Stone	49
8 ft. Circle Stone	50
Colors	51



Bristol I

COLLECTION ANTIQUED



Antique Slate

The Bristol I provides numerous choices to fit your hardscape design. It can be installed in various patterns or used as a border complementing any of the Collection Antiqued pavers.



Toasted Almond



6" x 9" x 2 3/8"

Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Sq. Ft. Per Band	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
YT61	115.74	280	2.42	16.53	40	7	3,241 lbs.

Bristol I & II

COLLECTION ANTIQUED



Antique Slate

The combination of the two pavers provides classic design patterns perfect for patio, walkway, pool side and driveway installations.



6" x 9" x 2 3/8"
YT61



6" x 6" x 2 3/8"
YT60

Separate pallets

Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Sq. Ft. Per Band	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
6" x 9" YT61	115.74	280	2.42	16.53	40	7	3,241 lbs.
6" x 6" YT60	115.75	420	3.63	16.54	60	7	3,241 lbs.

Note: See pattern formulas on page 82.

Colors



Colors



Please see page 51 for larger color representation.

Stratton

COLLECTION ANTIQUED



Dusty Rose



Dusty Rose

Stratton's aged appearance is reminiscent of the natural stone pavements created by craftsman of yesteryear. Its soft patina of weathered tones is perfect for transforming any setting into something exceptional.



6" x 9" x 2 3/8" 6" x 6" x 2 3/8" 3" x 6" x 2 3/8"

Each pallet contains all 3 shapes/Random Installation

Product Number	Sq. Ft. Per Pallet	Sq. Ft. Per Band	Bands Per Pallet	Weight Per Pallet
YT62	115.40	16.50	7	3,231 lbs.

Genesis

COLLECTION ANTIQUED



RiverBed

Its antiqued smooth surface and tumbled appearance will radiate both timeless warmth and beauty within your hardscape design.



12" x 12" x 2 3/8" 6" x 12" x 2 3/8" 6" x 6" x 2 3/8"

Each pallet contains all 3 shapes/Random Installation

Product Number	Sq. Ft. Per Pallet	Sq. Ft. Per Layer	Layers Per Pallet	Weight Per Pallet
YT64	127.60	11.6	11	3,573 lbs.

Colors



Antique Slate Butternut Cherry Blossom Dusty Rose Magnolia Muffin

Pearl RiverBed Toasted Almond

Please see page 51 for larger color representation.

Colors



Antique Slate Butternut Dusty Rose Magnolia Muffin Pearl

RiverBed Toasted Almond

Please see page 51 for larger color representation.

Bullnose

COLLECTION ANTIQUED



Whether you're designing a pool edge, seating wall or stairway you will need a finishing touch that lends both style and safety. Our Bullnose paver features a smooth rounded edge and is available in a wide range of colors to complement any of our paving stone products.



4" x 12" x 2 3/8"

Product Number	Ln. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Ln. Ft.	Ln. Ft. Per Band	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
YT56	110	330	3	36.7	110	3	2,868 lbs.

Colors



Please see page 51 for larger color representation.

Deerfield Stone

COLLECTION ANTIQUED



The warmth and beauty of Deerfield Stone evokes the appearance and character of vintage brick. You can choose from a variety of patterns including running bond, herringbone and basketweave.



4" x 8" x 2 3/8"

Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Sq. Ft. Per Band	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
TGT73	111.40	550	4.94	22.28	110	5	3,119 lbs.

Colors



Please see page 51 for larger color representation.

8 ft. Circle Stone

COLLECTION ANTIQUED




Muffin

Capitol's tumbled Circle Stone kit enriches any hardscape installation. You can use it as a visual centerpiece within your patio design; as a charming focal point in your driveway or it can add interest to any entrance or walkway area. It is also a great way to introduce a complementary color to the installation creating even more definition.



Wrought Iron

Circle Pattern



-  Center
2 pieces
-  Half
4 pieces
-  Small
16 pieces
-  3 Quarter
75 pieces
-  Large
143 pieces

Our kit contains enough pieces of each paver to allow you to create any size circle you want up to 8 ft. in diameter. Please visit capitolconcrete.com for installation details.

Product Number	Sq. Ft. Per Pallet	Weight Per Pallet
YT65	58.30	1,638 lbs.

Colors



Colors



Antique Slate



Butternut



Cherry Blossom



Chocolate



Dusty Rose



Hickory Ash



Magnolia



Muffin



Pearl



RiverBed

Combination of Antique Slate & Butternut (separate pallets)



Toasted Almond

Combination of Butternut & Muffin (separate pallets)



Wrought Iron

COLLECTION ANTIQUED

Please refer to the Collection Antiqued product pages for specific paver color availability. Actual product colors may vary. Capitol recommends that you base your final selection on actual product samples. It is highly recommended when installing blended or solid color pavers to choose from several pallets to best disperse the gradation of the color(s).

The paving stones shown are Bristol I.

Lexington	53
Concord	54
Wilshire	55
Colors	56

COLLECTION
Embossed


Richly embossed and featuring a slightly distressed face and edges, these pavers are bold and charming. Their strength and durability make it the perfect paver of choice for an impressive statement to any walkway, patio or driveway.

Lexington



Pearl

The Lexington consists of five distinctively tumbled embossed pavers. The variety of shapes and sizes allows you to compose attractive random pattern designs. The Lexington embossed paver can also be installed on its smooth side. (See photo on page 13)



Each pallet contains all 5 shapes/Random Installation

Installation note: To help avoid scuff marks, Capitol recommends the use of a neoprene or rubber mat attachment on the plate compactor.

Product Number	Sq. Ft. Per Pallet	Sq. Ft. Per Layer	Layers Per Pallet	Weight Per Pallet
TGT66	122.90	12.29	10	3,441 lbs.



Colors



Please see page 56 for larger color representation.

Concord


COLLECTION EMBOSSED



RiverBed/smooth side

The Concord is a 3-piece system that lets you create random or a fixed pattern that's both simple and pleasing to the eye. Establish the foundation of a luxurious setting by building your design around the embossed motif appearance of Concord.

The Concord embossed paver also has the flexibility to be installed on its smooth side.



RiverBed/embossed side



9" x 15" x 2 3/8" 9" x 12" x 2 3/8" 9" x 9" x 2 3/8"

Each pallet contains all 3 shapes

Product Number	Sq. Ft. Per Pallet	Sq. Ft. Per Band	Bands Per Pallet	Weight Per Pallet
TGT67	113.30	22.66	5	3,173 lbs.

Installation note: To help avoid scuff marks, Capitol recommends the use of a neoprene or rubber mat attachment on the plate compactor.

Colors



Antique Slate

Butternut

RiverBed

Please see page 56 for larger color representation.

Wilshire

COLLECTION EMBOSSED



Pearl

With its attractive embossed surface, it can be installed by itself in varied pattern designs or it can function as a complementary border for the Lexington and Concord pavers.



6" x 9" x 2 3/8"

Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Sq. Ft. Per Band	Pieces Per Band	Bands Per Pallet	Weight Per Pallet
TGT72	105.00	280	2.67	14.98	40	7	2,940 lbs.

Installation note: To help avoid scuff marks, Capitol recommends the use of a neoprene or rubber mat attachment on the plate compactor.

Colors



Antique Slate

Butternut

Chocolate

Magnolia

Muffin

Pearl

RiverBed

Toasted Almond

Wrought Iron

Please see page 56 for larger color representation.

Colors

COLLECTION EMBOSSED



Antique Slate



Butternut



Chocolate



Hickory Ash



Magnolia



Muffin



Pearl



RiverBed

Combination of Antique Slate & Butternut (separate pallets)



Toasted Almond

Combination of Butternut & Muffin (separate pallets)



Wrought Iron

Please refer to the Collection Embossed product pages for specific paver color availability. Actual product colors may vary. Capitol recommends that you base your final selection on actual product samples. It is highly recommended when installing blended or solid color pavers to choose from several pallets to best disperse the gradation of the color(s).

The paving stones shown are Wilshire.

COLLECTION Wall Stones

Capitol wall products are available in various styles and colors just right for any residential or commercial application. Capitol has the perfect wall system that will not only bring definition to your outdoor space but also work in harmony with the colors of our paving stones. Strength, beauty and durability are the hallmarks of our wall stones, so you can build with confidence.




What it means...

When you see the symbol above it represents that the wall is designated as an interlocking segmental wall stone that can typically be used to build gravity walls up to 40" for our 3" & 6" Vintage wall systems and up to 4' for our 8" Classic wall including a buried course.

Geosynthetic reinforcement is recommended for taller walls or any walls situated in poor soils, supporting a driveway etc. Maximum heights are determined by wall batter, soil loads affecting the walls, site and drainage conditions. Consult a licensed engineer for design assistance.

Centurion Wall	58
3" Vintage Wall	60
6" Vintage Wall	61
3" & 6" Vintage Wall	62
NEW 6" Summit Wall	63
Millennium Wall	64
8" Classic	65
NEW Edgestone	66
Cottage Stone	67





Centurion Wall

Butternut


Centurion Wall



Toasted Almond

The Centurion Wall's aged finish on both sides makes it one of the most versatile and attractive wall stones around.

Designed for multiple applications, the Centurion Wall is perfectly suited to building a sweeping wall as it is for a range of other applications including construction of a garden wall to kitchen surround steps, piers and freestanding walls.



Butternut

Stairway Calculation

Linear feet of each stair tread x 2 = linear feet per stair tread
 Linear feet needed per stair tread x total # of stairs desired = total linear feet of the Centurion cap needed for project.



Wall Stone
3 1/2" x 8 5/8"
YT100

Cap
3 1/2" x 11 1/2"
YT101

Product Number	Face Length	Sq. Ft. / Ln. Ft. Per Pallet	Sq. Ft. / Ln. Ft. Per Layer	Layers Per Pallet	Weight Per Pallet
Wall YT100	15 sizes from 7" - 16"	35 Sq. Ft.	5 Sq. Ft.	7	3,484 lbs.
Cap YT101	12 sizes from 7" - 16"	63 Ln. Ft.	9 Ln. Ft.	7	2,700 lbs.

Corner pieces are sold by the piece.

Colors



Antique Slate

Butternut

Dusty Rose

Magnolia

Muffin

Pearl

RiverBed

Toasted Almond

3" Vintage™ Wall



WALLS



Pearl

Capitol's 3" Vintage wall features the tumbled charm of a mason crafted wall. It includes a unique double-sided face which lets you use the same wall for both retaining and free standing wall applications. The tongue and groove locking mechanism will ensure a solid connection and helps facilitate rapid installation. The 3" Vintage wall comes in three face lengths, requires no pins or mortar and unlike rear-lip systems builds to a straight vertical appearance. You can also combine it with the 6" Vintage wall for added dimension.



Pearl

Front 3" x 6" x 10" Back 3" x 6" x 10"	Front 3" x 12" x 10" Back 3" x 10" x 10"	Front 3" x 18" x 10" Back 3" x 16" x 10"	Front 3" x 16" x 10" Back 3" x 14" x 10"	3 1/2" x 11 1/2" Face length: 12 sizes from 7" - 16"
YT140 / Combined Pallet			End / YT141 Corner / YT142	Cap / YT101
Sq. Ft. Per Pallet: 18 Weight Per Pallet: 1,841 lbs.		Sq. Ft. Per Layer: 2.25 Layers Per Pallet: 8		Corner & End pieces are sold by the piece.

Colors



6" Vintage™ Wall



WALLS



Butternut with Antique Slate wall cap

The rustic charm of our 6" Vintage wall features a distinctive double-sided face which allows you to use the same wall for both retaining and free standing wall applications. The tongue and groove locking mechanism

ensures a solid connection and helps facilitate installation. It comes in three face lengths, requires no pins or mortar and unlike rear-lip systems builds to a straight appearance. You can also install it with the 3" Vintage wall.

Front 6" x 6" x 10" Back 6" x 6" x 10"	Front 6" x 12" x 10" Back 6" x 10" x 10"	Front 6" x 18" x 10" Back 6" x 16" x 10"	Front 6" x 16" x 10" Back 6" x 14" x 10"	3 1/2" x 11 1/2" Face length: 12 sizes from 7" - 16"
YT143 / Combined Pallet			End / YT144 Corner / YT145	Cap / YT101
Sq. Ft. Per Pallet: 24 Weight Per Pallet: 2,653 lbs.		Sq. Ft. Per Layer: 6 Layers Per Pallet: 4		Corner & End pieces are sold by the piece.

Colors



3" & 6" Combination Vintage™ Wall



WALLS



Butternut

The combination of our 3" & 6" Vintage wall recreates the timeless beauty of a naturally weathered stone wall. The unique double-sided face lets you use the same wall for both retaining and free standing wall applications. The 3" & 6" Vintage wall comes in three face lengths, requires no pins or mortar and unlike rear-lip systems builds to a straight vertical appearance.

The 3" & 6" Vintage wall features a tongue and groove locking mechanism which ensures a solid connection while facilitating a quick and accurate installation.



Installation note for all Vintage Walls:

When preparing the base block the tongue side must be placed facing down. To create a level base you can either remove the tongue with hammer and chisel or excavate a channel within the foundation pad to accommodate the tongue.



RiverBed

The 3" & 6" Vintage wall are packaged on separate pallets. Corner & End pieces are sold by the piece.

All Vintage Retaining Walls can be built to a maximum total height of 40" without geogrid. Taller walls can be built up to a maximum total height of 24 feet with geogrid and when designed by a qualified engineer.

Please refer to page 60 for 3" Vintage specifications and page 61 for 6" Vintage specifications.

6" Summit Wall (Vintage Series)



WALLS



Magnolia



Magnolia

The newest addition to our Vintage series, Summit's clean, classic appearance will make any project come alive. Summit features a unique double-sided face which lets you use the same wall for both retaining and free standing wall applications. The tongue and groove locking mechanism will ensure a solid connection and helps facilitate quicker installation. The Summit wall comes in three face lengths, requires no pins or mortar and unlike rear-lip systems builds to a straight vertical appearance.

				
Front 6" x 6" x 10" Back 6" x 6" x 10"	Front 6" x 12" x 10" Back 6" x 10" x 10"	Front 6" x 18" x 10" Back 6" x 16" x 10"	Front 6" x 16" x 10" Back 6" x 14" x 10"	3 1/2" x 11 1/2" Face length: 12 sizes from 7" - 16"
Y160 / Combined Pallet			End / Y164 Corner / Y163	Cap / Y105
Sq. Ft. Per Pallet: 24 Weight Per Pallet: 2,553 lbs.		Sq. Ft. Per Layer: 6 Layers Per Pallet: 4		Corner & End pieces are sold by the piece.

Colors



Colors



Millennium Wall

WALLS



Pearl

The Millennium Wall is perfect for a multitude of applications. It is ideally suited for building a free standing wall, as it is for a range of other applications including construction of a landscape wall to outdoor kitchen surround and step designs.



Antique Slate

Stairway Calculation
 Linear feet of each stair tread x 2 = linear feet per stair tread
 Linear feet needed per stair tread x total # of stairs desired = total linear feet of the Centurion cap needed for project.



Wall Stone
3 1/2" x 8 5/8"
Y104

Cap
3 1/2" x 11 1/2"
Y105

Product Number	Face Length	Sq. Ft. / Ln. Ft. Per Pallet	Sq. Ft. / Ln. Ft. Per Layer	Layers Per Pallet	Weight Per Pallet
Wall Y104	15 sizes from 7" - 16"	33 Sq. Ft.	4.70 Sq. Ft.	7	3,344 lbs.
Cap Y105	12 sizes from 7" - 16"	60 Ln. Ft.	12 Ln. Ft.	5	2,511 lbs.

Corner pieces are sold by the piece.

Colors



8" Classic™ Wall



WALLS



Chestnut



Slate

The 8" Classic is a high performance block designed to be a versatile solution for any type of wall application. It is known for its ease of installation, strength and adaptability to virtually every retaining wall need. The 8" Classic is capable of sharp radius turns, variable setbacks and other design possibilities. Covering one square foot per block allows the 8" Classic greater efficiency in installation.

Upon assembly, Classic automatically create a 4" x 5" vertical "stone columns". When layered with grid, the gravel filled "stone columns" provide a multi-point interlock, for a more uniform block-to-grid connection.



Wall Stone
8" x 18" x 12"
Y116

Cap
4" x 18" x 12"
Y98

Product Number	Sq. Ft. / Ln. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Layers Per Pallet	Pieces Per Layer	Weight Per Pallet
Wall Y116	32 Sq. Ft.	32	1	4	8	2,641 lbs.
Cap Y98	63 Ln. Ft.	42	1 pc = 1'6"	7	6	2,936 lbs.

Half units & corner units are sold by the piece.

Colors



Edgestone

WALLS



Buff/Brown Blend

Edgestone border provides a beautifully textured edging offering a more natural Belgian block appearance without the cost normally associated with natural stone. Edgestone is textured on the top and front and makes the perfect border for driveways, walkways and flower beds.




Buff/Brown Blend



4" x 7 1/2" x 7 1/2"

Product Number	Pieces Per Pallet	Weight Per Pallet
R91	180	3,294 lbs.

Colors



Red/Charcoal Blend
Comparable to Adobe Ash



Buff/Brown Blend
Comparable to Chestnut



Salmon/Charcoal Blend
Comparable to Sedonia



Natural/Charcoal Blend
Comparable to Slate

Cottage Stone®

WALLS



Slate

The Cottage Stone with Cap is perfect for terraced gardens, tree rings or low retaining walls. The unique design includes a rear lip making it easy to construct straight and curved sections.



Wall Stone
4" x 12" x 8 1/2"
Y70



Cap
2" x 18" x 9"
Y71

Product Number	Sq. Ft. / Ln. Ft. Per Pallet	Pieces Per Pallet	Pieces Per Sq. Ft.	Weight Per Pallet
Wall Y70	40 Sq. Ft.	120	3	3,207 lbs.
Cap Y71	120 Ln. Ft.	80	N/A	2,168 lbs.

Wall Colors



Adobe Ash



Brown



Chestnut



Natural



Sedonia



Slate

Cap Colors



Adobe Ash



Brown



Charcoal



Chestnut



Sedonia



Slate

COLLECTION
Homescape

Outdoor features are fast becoming the most sought after items among homeowners today. Outside kitchens, fireplaces, fire pits and waterfalls produce stunning living spaces that provide outdoor enjoyment while adding lasting value to your home.

Capitol's outdoor features are hand-crafted in a controlled environment using our exclusive wall and paver products. Each homescape collection is precisely built to exacting tolerances and designed to complement with any of our hardscape materials.

With Capitol, the process of creating a dream outdoor living space has never been simpler or more gratifying. Make your favorite room outside with the Capitol Collection Homescape.

- Fire Pit** 69
- Fireplace** 70
- Outdoor Kitchen** 72
- Water Feature** 74
- Garden Bench** 75
- Mailbox** 75
- Planter** 75
- Piers & Caps** 76



Fire Pit



Put your feet up and relax around the glowing flame of a Capitol fire pit. Not only will your fire pit radiate light and heat to ease the chill of the evening, it will form an intimate gathering place for family and friends while creating a central focal point in your backyard retreat.

Installation Made Easy / No Cutting Required

Capitol's fire pit materials are pre-cut and all items are packaged together on one pallet, including a circular fire ring that swivels and grill attachment, making assembly a breeze.

NEW
Fire Pit Cap Design

Available Cap Colors:
Brown & Gray



Product Number	Height	Inside Diameter	Outside Diameter
YT130	14"	34"	58"

Additional Centurion Wall Stones can be used to increase the height (sold separately). To view installation instructions please visit capitolconcrete.com

Colors



Fireplace



Capitol's Fireplace Creates An Outdoor Room Onto Itself

Stunning looks, outstanding performance... graciously accented with a unique half circle design on both the front and back, Capitol's fireplace is completely prebuilt and comes to you in two sections, allowing it to be installed quickly and securely. Plus, you can add wood boxes along with a fireplace hearth to complete the outdoor living experience.



Pearl with Antique Slate trim

Add the finishing touches with Capitol's hearth and wood boxes.



Color Combinations

Product	Product Number	Height	Width	Depth	Weight
Fireplace	YT133	9' 3"	6' 2"	4' 7"	8,200 lbs.
Hearth	YT135	10"	4' 9"	2' 4"	300 lbs.
Wood Box	YT134	40"	39"	32"	1,730 lbs.

The UL approved firebox features a single piece brushed stainless steel face, stainless mesh spark screen and a solid stainless steel log grate.

Installation Made Easy

The fireplace unit has been weight optimized for efficiency and handling, the modular units can be moved with a loader that can lift 5,000 lbs. The wood burning fireplace complies with UL17-CAN/ULS-S610-M87 as a Factory Built Appliance. **Note:** The upper chimney pipe section is assembled independently after the top modular unit is laid in place.



Standard Color Combinations for the Capitol Fireplace

Other color combinations are available upon request.



Outdoor Kitchen

COLLECTION HOMESCAPE



Capitol's Outdoor Kitchen Comes Complete With:

- ◆ Weber Cooking Grill
- ◆ Stainless steel refrigerator
- ◆ Stainless steel cabinet with double access doors
- ◆ GFCI outlet mounted on side (wiring required)



Grill Specs:

- ◆ 4 Stainless Steel Burners
- ◆ 48,800 BTU-per-hour input
- ◆ 10,600 BTU-per-hour input sear burner
- ◆ 6,800 BTU-per hour input smoker burner & stainless steel smoker box
- ◆ 10,600 BTU-per-hour input infrared rear mounted rotisserie burner
- ◆ Total cooking area = 580 Sq. In.
- ◆ Warming Rack area = 112 Sq. In.

COLLECTION HOMESCAPE



*Inside of Grilling Area
Note: This photo represents actual appearance of kitchen unit. Cooking Grill subject to change based on availability.

Product Number	Height	Width	Depth	Weight
YT138	58"	80"	40"	4,991 lbs.

With Capitol's Outdoor Kitchen Everything Will Just Taste Better

It's all about entertaining and Capitol's outdoor kitchen will let you show off your culinary skills in notable fashion. Best of all, the entire outdoor kitchen comes to you totally preassembled, no cutting, gluing or instructions to follow. Simply set it down within in your backyard retreat and you're ready to start firing up the grill.

Above Color: Pearl with Antique Slate trim

Standard Color Combinations for the Capitol Outdoor Kitchen

Other color combinations are available upon request.



Muffin
Main Area

Butternut
Trim (Countertop)

Antique Slate
Main Area

Butternut
Trim (Countertop)

Pearl
Main Area

Antique Slate
Trim (Countertop)

Water Feature

Capitol makes it easy to enjoy the sights and sounds of a soothing lighted waterfall



Antique Slate

Turn your backyard into a delightful visual and acoustic treat with Capitol's ColorFalls, featuring a complete hardscape enclosure surrounding a beautiful sheer blue lit waterfall.

The self-contained unit boast a low energy 24" long reinforced weir and an interior baffling system that produces a single lighted water sheer. The ColorFalls basin has been engineered to catch, clean and redistribute the water.



Toasted Almond

Product Number	Description
YT132	Includes 2 - 18" x 18" Piers & 2 - 20" x 20" Caps
YT131	Without the 2 Piers & Caps

ColorFalls is a pre-packaged with all the necessary pre-cut pieces making installation fast and easy. Capitol's ColorFalls is available with or without the two piers and caps.

Capitol's Water Feature Comes Complete With:

- ◆ 24" lighted weir and basin
- ◆ Tidal Wave 2 Pump (12 volts)
- ◆ 10' of 1 1/4" flexible PVC pipe
- ◆ Pump discharge, glue, cleaner, thread sealant and fittings

Garden Bench

Every garden needs a place to sit down and take in the beauty of surroundings. With this in mind, Capitol has designed this unique, versatile bench featuring a smooth, comfortable seat. Our garden bench offers you more than just a place to sit, it offers you additional charm for you garden surrounds.



Product Number	Height	Width	Length	Weight
YT139	14"	18"	49"	414 lbs.

Garden Bench available only in color scheme shown.



YT137
Refer to page 74 for available colors.

YT136

Mailbox

Dress up the curb appeal of your home with Capitol's distinctive mailboxes. Both styles are completely prebuilt, includes the mailbox, delivered ready to be installed. Capitol mailboxes meet USPS regulations.



Planter

The planter's strength is perfect for larger root systems and no need to worry about strong winds knocking it over. Plus, concrete has excellent insulating properties, buffering plants and soil from sudden extreme temperature changes.

Product Number	Height	Width	Weight
YT129	22"	21"	243 lbs.

Inside dimensions; 13" x 13" / 9 3/4" deep

Colors



Standard Color Combinations for the Mailbox (YT136) & Planter

Other color combinations are available upon request.



Piers & Caps



Large Centurion Pier;
Color: Magnolia

Capitol piers and caps bring a stylish dimension to any hardscape design while providing a location for additional lighting possibilities. All Capitol piers are precut and preassembled, delivered on their own individual pallet, making assembly as easy as can be.

Capitol Pier Caps* are specially designed to complement our piers. They are available in both gray and brown colors. Holes can be easily drilled for wiring.

Small One Tier Cap



20" x 20" x 2"
Y114 / For 18" Piers

Large One Tier Cap



26" x 26" x 2"
Y113 / For 24" Piers

Small Two Tier Cap




22" x 22" x 4"
Y118 / For 18" Piers

Large Two Tier Cap



30" x 30" x 4"
Y119 / For larger diameter piers

Colors



*Capitol provides a one year warranty on its pier caps.
**Additional color for Centurion & Millennium Piers only.

Centurion Piers



Y115
18" x 18" Column, 36" High



Y112
24" x 24" Column, 36" High

Millennium Piers



Y115
18" x 18" Column, 36" High



Y112
24" x 24" Column, 36" High

3" Vintage Piers



Y150
18" x 18" Column, 36" High



Y148
24" x 24" Column, 36" High

6" Vintage Piers



Y151
18" x 18" Column, 36" High



Y147
24" x 24" Column, 36" High

3" & 6" Vintage Piers



Y152
18" x 18" Column, 36" High



Y149
24" x 24" Column, 36" High



Landscape Steps

Our Landscape steps allow you to transition to another level while complementing your Capitol pavers and walls. Available in two colors including brown/tan blend and light/dark gray blend.



6" x 16" x 36"

Product Number: R161
Pieces Per Pallet: 10



6" x 16" x 48"

Product Number: R162
Pieces Per Pallet: 10

Patio Stone

You can create just the right look with Capitol's patio stone. Easy to install, applications include patios, walkways and landscape decoration.



24" x 24" x 2"
Color: Natural

Product Number	Sq. Ft. Per Pallet	Pieces Per Pallet	Weight Per Pallet
Y8	144	36	3,614 lbs.

Solar Panel Ballast Block




Solar panels in zero-penetration, flat-roof applications require ballast weight to secure the panel to the roof. Applications include flat roofs when non-penetrating options are preferred. Solar ballast block provides the dispersion of point loads without the need for penetrating roofing materials.



12" x 12" x 2"

Other sizes also available as special order.



Capitol's ballast blocks combine high compressive strength and density which are important to the long-term durability of the concrete.

Please contact Capitol with any special order requirements or questions.

Product Number	Pieces Per Pallet	Average Weight
Y1212	120	24 lbs.

Pallet counts can be specified to suit installation requirements.

The B.E.A.S.T. Paver Edge Restraints

Available in 8 foot sections.

Order # C2030

Paver Edge Spikes

3/8" wide x 10" long

200 spikes to a box

Order # CSPIKES



Polymeric Sand

Techniseal Polymeric Sand is a high-tech mix of graded sand and binder specially formulated for the filling of paver joints.

Available in two attractive colors in 50 lb. bags.



Granite Gray

Order # CJSANDG

Tan

Order # CJSANDT

Paver Renew Cleaning & Sealing Products

Paver Renew™ products are designed to protect and enhance the appearance of concrete pavers.



Paver Renew Flat Sealer

1 gallon

Order # CCERT1F

5 gallon

Order # CCERT5F

Paver Renew Super Gloss Sealer

1 gallon

Order # CCERT1G

5 gallon

Order # CCERT5G

Paver Renew Natural Sealer

1 gallon

Order # CCERT1N

5 gallon

Order # CCERT5N

Paver Renew Efflorescence Remover

1 gallon

Order # CREMOWER1

Paver Renew Concrete Stripper

Used to remove sealers, coating and oil stains.

1 gallon

Order # CSTRIPPER1

5 gallon

Order # CSTRIPPER5



Paver Lighting

Individual Paver Light

4" x 8"

Order # CLIGHT48

6" x 6"

Order # CLIGHT66

6" x 9"

Order # CLIGHT69

Paver Light Kits

8 lights - 4" x 8"

Order # CKIT48

8 lights - 6" x 6"

Order # CKIT66

6 lights - 6" x 9"

Order # CKIT69

Adhesives

Titebond is a professional strength adhesive for use on paving stones, retaining walls and other hard surface applications.

28 oz.

Order # CADHESIVE-LG



Block & Paver Cutter

Cuts can range from over 1" to just over 6". Cutting Width 16" / Cutting Height 1.2" - 6.3" / Weight 127 lbs. Order # CSPLITTER (special order)



Geogrid


Geogrid stabilizes the soil mass behind the retaining wall and ties the wall face to the earth being retained.

Order # CGRID



Getting Ready

A good plan is essential to a successful paver project. A detailed, measured sketch of the overall area is necessary to determine product quantities. Begin by designating the area to be excavated. Mark the outline of your installation with stakes every 4-6 feet and at each corner. These stakes should be set 8" outside of the planned edge.



Materials Needed

Stone Base: Should be 3/4" modified stone also known as 2A or 3/4" quarry blend. Add 5-10% for edges and other areas.

Bedding Sand: Coarse concrete sand is recommended, include extra 5% for jointing purposes.

Pavers: Capitol's pavers are typically sold by the square foot, add 5-10% more for overages, cuts etc.

Edge Restraints: All exposed installation edges must have paver restraints.

Tools

- Stakes, string & line level
- Shovel, metal rake, trowel
- Gloves, knee pads
- Wide blade mason chisel
- Wire cutter
- 3-5 pound hammer
- Stiff bristle street broom
- Wheelbarrow
- Tape measure & level
- 6-8 feet – 2 x 4 or 2 x 6 Scream Guides
- 3-5 HP vibrating plate compactor
- Diamond blade saw

Safety Note

Always use appropriate equipment including safety glasses or goggles, respirators when splitting, cutting or hammering units.

1. Excavation

(Before digging, always call your local utility company to locate any underground lines) Generally, a minimum of 4"-6" of compacted aggregate base is recommended for patios & walkways, 8"-10" for residential driveways where freeze/thaw conditions exist. Add 3" for the depth of the bedding sand plus the paver thickness (usually 2 3/8") to determine the total depth to excavate.

Note: Excavate 6" wider than the finished dimensions on the sides where paver restraints will be used. Slope and grade are important to ensure proper runoff. It is suggested to plan at least a 1/4" per foot drop.

2. Base Preparation

(2.1) The finished installation will be only as good as the construction of the base. First, run the plate compactor over the excavated area. Each pass should overlap the prior one by about 4". Compaction should be performed in one direction then a second time at the opposite direction to the first compaction. Make sure that soil does not get stuck to the bottom of the plate tamper.

(2.2) Spread the stone base material (3/4" stone, also known as 2A or 3/4" quarry blend) out evenly in a 2" layer. Starting around the outer perimeter, use the plate compactor to pack together the base, again overlapping each pass about 4" and working toward the center. Try to make at least two complete passes for each layer. Repeat this process for each subsequent layer of base material until the final thickness is achieved.

(2.3) After final compaction, check the entire area for proper pitch and level conditions. The base should now reflect the final grade of your pavers. If you were to place a straight edge on the surface, there should be no more than a 3/8" gap at any point along the straight edge.

3. Sand Bedding Layer

Note: It is important to keep your sand dry and cover in case of rain.

(3.1) A setting bed of concrete sand can now be spread on top of the compacted base. It is suggested that you only screed sand for areas where you will be laying pavers that same day.


(3.2) Lay the screed guides (1" outside diameter electrical conduit, strips of wood or other suitable rigid material) on top of the compacted base material 4' – 6' apart and parallel. Evenly distribute a quantity of bedding sand between the guides and drag the straight edge over the guides to create a smooth even layer of sand, striking off any excess. Do not walk on or work from your screeded sand.

(3.3) When the pavers are set on the sand and compacted, the 1" of sand will compress to 3/8" to 1/2" thickness. Fill voids left by the screed guides with sand and trowel them smooth as you are laying the pavers.

According to the Interlocking Concrete Pavement Institute (ICPI) coarse concrete sand is the recommended material for the setting bed. Stone dust or screenings do not drain water properly and can become soft over time. As a result, pavers will not seat properly when compacted and this may prevent interlock.

4. Installing The Pavers*

(4.1) The project should start from a perfect 90-degree angle. Use the 3-4-5 triangle method to establish this. For an even mix of paver coloration, take from several pallets at a time.



Tip: You can also modify the measurements by doubling or tripling each one:
Example: 3-4-5, 6-8-10, 9-12-15

(4.2) Starting from a permanent edge such as a house, driveway, or even a piece of rigid PVC edge restraint, lay your first paver starting from either side. As you start laying pavers, work from right to left, and then left to right and so on, one row of pavers at a time. Set the pavers in place lightly onto the sand, never press or hammer them in. Every four feet or so, run a string across the front of the laying edge to maintain straight lines.

*It is highly recommended when installing blended or solid color pavers to choose from several pallets to best disperse the gradation of the color(s).

5. Cutting The Pavers

Mark any pavers to be cut and use either a diamond blade saw, a paver splitter or a hammer and chisel. Try to keep cut pieces along the edges to a size at least that of one half paver.

6. Edge Restraints

The edging is laid directly upon the compacted aggregate base and secured with 10" steel spikes. One spike should be used every 2' for walkways & patios and every 1' for driveways.

7. Compacting The Pavers**

The pavers should be swept before compacting. Start tamping around the perimeter and working inward, making at least two passes over the pavers. Make the second pass at a 90-degree angle to the first pass.

8. Sweeping The Sand

Spread the joint sand or polymeric sand over the pavers using a stiff bristle street broom. Sweep back and forth until all joints are filled to the top. Start tamping around the perimeter and working inward, making at least two passes over the pavers. Make the second pass at a 90-degree angle to the first pass. The final step will force the sand into the joints of the pavers creating an interlocking pavement. Sweep again as necessary.

Note: When using Polymeric Sand, follow the manufacturers directions carefully, misapplication of the polymeric sand could generate a polymeric haze on the surface.


****Note:** Manufacturers of plate compactors recommend the use of mats or membranes between the compactor and the pavers to protect them from surface damage. Capitol's Natural and Embossed Collections are susceptible to damage from plate compactors due to their high and low points on the surface. However, even smooth, flat surfaces can be damaged with improper usage or the existence of debris on the plate.

Note: Our Courtland Natural Impressions differs from this paving stone installation guide. Please visit capitolconcrete.com for installation instructions for this product.

Call 811 Before You Dig


whether a paver or retaining wall, you are required to provide utility notification before any excavation.

Capitol has provided a selection of the most popular laying patterns along with the suitable Capitol paver to use with the pattern. For some of our paving stones systems, particularly the ones with multiple pavers, there is no set pattern meaning the pavers will be installed in a random fashion.




Running Bond

Paver Style: Artesia, Country King I, Holland Stone, Bristol I, Deerfield Stone, Kingston, Concord (3-piece)




90° Herringbone

Paver Style: Artesia, Country King I, Holland Stone, Bristol I, Deerfield Stone




45° Herringbone

Paver Style: Artesia, Country King I, Holland Stone, Bristol I, Deerfield Stone




2-piece Herringbone*

Paver Style: Country King I & II, Bristol I & II,
Ratio: 1 (6" x 9") to 1 (6" x 6")




2-piece Modified Herringbone**

Paver Style: Country King I & II, Bristol I & II,
Ratio: 2 (6" x 9") to 1 (6" x 6")




3-piece Modified Herringbone

Paver Style: Country Combo




Tudor

Paver Style: Courtland Natural Impressions
14% 12" x 12", 29% 12" x 24", 57% 24" x 24"




Holland Dutch

Paver Style: Courtland Natural Impressions
21% 12" x 12", 79% 24" x 24"



Tile

Paver Style: Courtland Natural Impressions
12% 12" x 12", 88% 12" x 24"



Courtland Circle Stone Kit

10' x 10' (100 sq. ft.)

Pattern Formulas

***Pattern:** 2-piece Herringbone

Ratio: 1 to 1

Sq. Ft. of installation x 2.95 ÷ =

Total pavers of each size needed for project

****Pattern:** 2-piece Modified Herringbone

Ratio: 2 (6" x 9") to 1 (6" x 6")

Step 1: Sq. Ft. of installation ÷ 1.102 = 6" x 6" pavers needed

Step 2: Take 6" x 6" paver amount x 2 = 6" x 9" pavers needed

Border calculation is not included in the above and is based on linear foot calculation

Getting Started

(1) Base Course Preparation - see fig. 1a

Beginning at the point of the wall's lowest elevation, excavate a trench down the length of the wall that will accommodate at least 6" of base material and 6" of block embedment. As a rule of thumb, for every 8" to 10" of wall height, 1" of block should be buried with a least a minimum of 6" base course embedment. Step the trench up or down with respect to adjacent grade. The width of the trench should be a minimum of 24". Based on the type of application and what is retained, the depth of the leveling pad may vary. If necessary consult with an engineer. After excavating the native soil and prior to adding base material, remove loose material from the trench and compact.

(2) Leveling Pad Installation - see fig. 2a

Place and compact a minimum of 6" base material to 95% Standard Proctor. Verify that the base is level with a transit or hand level. Be aware the base material (commonly referred to as road base material or base aggregate) will vary.

(3) Base Course Installation - see fig. 3a

Use a string line behind the tail of the block for alignment on straight wall applications. All blocks should rest firmly on the pad and be centered to allow 6" of base material in front and 6" behind the Base Block. Level each block, side-to-side, front-to-back and across three full blocks with a hand level. A rubber mallet may be used to level and align the blocks.



To create the base block, remove the ridge with a hammer and chisel as shown. When laying the base block place what was the ridge side facing down.

(4) Core and Drainage Fill - see fig. 4a

Place 3/4" to 1" clean aggregate (crushed rock) within the cores and a minimum of 12" behind the blocks. This creates a drainage zone and Stone Columns that helps to unify and maximize the performance of the wall.

(5) Successive Course Installation - see fig. 5a

Prior to adding successive courses, the top of each block needs to be clean and free of foreign material. Center the block and pull it forward until the Anchor Bar abuts the two block below it. Place core and drainage fill as in Step 4. Place the backfill material behind the drainage rocks in maximum of 8" lifts and compact to 95% Standard Proctor. Repeat this process for each successive course. Large compaction or construction equipment should be kept a minimum of 3' from the back of the wall. This 3' area should be compacted with a vibratory plate compactor.

Note: When laying the block, the raised ridge must be facing down.



fig. 1a



fig. 2a




fig. 3a



fig. 4a




fig. 5a

Garden Walls Vs. Retaining Walls

There is a significant difference in the planning and construction of retaining walls depending on their use. Walls below 4 feet in height are commonly referred to as garden walls, and in most cases, can be built without the input from a geotechnical engineer. Walls above 4 feet and walls with forces behind, or on top of them, require special considerations and need to be planned by a qualified engineer.

Geosynthetic Reinforcement

Geosynthetic reinforcement is an engineered product that is typically comprised of polypropylene, polyester, or other high tensile material. Used in conjunction with segmental retaining wall blocks, it helps stabilize the soil mass behind a wall. Depending on the wall design, the length and the number of grid layers will vary. Generally, grid strength is in the roll direction. As it is unrolled, it is in the same direction it should be installed. Biaxial grid is another option in which the strength is the same against roll direction as it is in the roll direction.



Grid Reinforcement

(1) Preparation for Grid - see fig. 1b

The area behind the wall in the grid layer needs to be level with the top of the block and compacted to 95% of the Standard Proctor (ASTM D698).

(2) Basic Grid Placement - see fig. 2b

Place the grid as close to the face of the wall without exposing it after successive placement of blocks. Ensure the grid is placed with the strength direction perpendicular to the wall. Check grid manufacturer specifications for the proper grid placement instructions.

(3) Preparation for Backfill - see fig. 3b

Place the next course of block. Pull the grid back and stake it so it is taut and free of wrinkles.

(4) Backfill and Compact - see fig. 4b

Place 3/4" to 1" clean aggregate (crushed rock) within the cores and a minimum of 12" behind the blocks. Place and compact backfill on the grid in lifts no greater than 8". When possible, it is recommended the backfill is deposited directly behind the wall and pushed to the end of the grid to ensure it remains taut and wrinkle-free.



fig. 1b



fig. 2b



fig. 3b




fig. 4b

**Call 811
Before You
Dig...**

(1) Base Course Preparation - see fig. 1a

Beginning at the wall's lowest elevation, excavate a trench down the length of the wall with a minimum width of 24" to accommodate at least 6" of block embedment. As a rule of thumb, for every 8" to 10" of wall height, 1" of block should be buried with a minimum of 6" base course embedment. Step the trench up or down to correspond with adjacent grade.

(2) Leveling Pad Installation - see fig. 2a

Unlike other wall systems, Vintage builds vertically with no setback. For this reason, make sure the first course is level from front to back.

- When building under 3 ft. in height, place and compact a minimum of 6" base material to 95% Standard Proctor. Verify the base is level with a transit or hand level.

- When building over 3 ft. in height, see fig. 2b - it is highly recommended on a 7.1° inclined base (a 1" setback). Simply place 3" of material on top of your compacted leveling pad. Screed the excess material away using a level tied to an angled board, compact to 95% Standard Proctor. Walls 40" and above need to be constructed with geogrid and may need to be designed by a licensed engineer.




fig. 1a

fig. 2a




fig. 2b

All Vintage Retaining Walls can be built to a maximum total height of 40" without geogrid. Taller walls can be built up to a maximum total height of 24 feet with geogrid and when designed by a qualified engineer.

(3) Base Course Installation - see fig. 3a

Use a string line for alignment on straight wall applications. All blocks should rest firmly on the pad and be centered on the base to allow approximately 6" of base area in front and behind the block. Level each block side-to-side, front-to-back and across three full blocks with a hand level. A rubber mallet may be used to level and align the Vintage blocks.



Installation note: When preparing the base block the ridge side (tongue) must be placed facing down. To create a level base you can either remove the ridge (tongue) with hammer and chisel or excavate a channel within the foundation pad to accommodate the ridge (tongue).

(4) Drainage Fill - see fig. 4a

Place 3/4" to 1" clean aggregate (crushed rock) a minimum of 12" behind the blocks. This creates a drainage zone that helps to unify and maximize the performance of the wall.

(5) Successive Course Installation - see fig. 5a

Prior to adding the successive courses, the top of each block should be clean and free of foreign materials. Follow the pattern as you lay each course. Place the back fill material behind the drainage rock in 8" lifts (maximum) and compact to 95% Standard Proctor. Repeat this process for each successive course. When laying the block, the raised ridge must be facing down.

Large compaction or construction equipment should be kept a minimum of 3 ft. from the back of the wall. This 3 ft. area should be compacted with a vibratory plate compactor or a manual hand tamper.




fig. 3a

fig. 4a

fig. 5a

Safety Note

Always use appropriate equipment including safety glasses or goggles, respirators when splitting, cutting or hammering units.


You can install Vintage Wall System in a random pattern using any combination of blocks. Just avoid vertical lines that span more than one foot in height.

If you are building a wall without geosynthetic reinforcement, you can create a pattern or use one of the pattern designs shown below. Pleasing random patterns can be built using an equal number of 3" & 6" blocks individually or use the two heights together. To calculate the number of individual blocks required for your retaining wall, select from either of the 12" patterns. Since each pattern has a fixed number of blocks, calculating the quantity of blocks required is done by multiplying your total wall square footage by the individual blocks per pattern. To achieve more height the pattern can be repeated.

When constructing the wall always use the front (longer) side of the Vintage block facing out.

Vintage Wall 6" Block Patterns (12" Tall)

Note: You can also use this pattern for the 3" Vintage Wall.



Block Required for 12" Tall Retaining Wall (13.5 SF)

(A) 9 - 6" x 18" blocks = 6.75 SF

(B) 9 - 6" x 12" blocks = 4.5 SF

(C) 9 - 6" x 6" blocks = 2.25 SF

Example: 150 SF Wall (150 ÷ 13.5 SF = 11.11 patterns)


6" x 18" = 9 x 11.11 = 100 blocks

6" x 12" = 9 x 11.11 = 100 blocks

6" x 6" = 9 x 11.11 = 100 blocks

Vintage Wall 3" & 6" Block Combination Patterns (12" Tall)

Note: This pattern uses equal square feet of 3" & 6" product.



(Repeating Pattern)

Block Required for 12" Tall Retaining Wall (9 SF)

(A) 4 - 6" x 18" blocks = 3 SF

(B) 4 - 6" x 12" blocks = 2 SF

(C) 4 - 6" x 6" blocks = 1 SF

(D) 4 - 3" x 18" blocks = 1.5 SF

(E) 4 - 3" x 12" blocks = 1 SF

(F) 4 - 3" x 6" blocks = 0.50 SF

Example: 150 SF Wall (150 ÷ 9 SF = 16.66 patterns)

6" x 18" = 4 x 16.66 = 67 blocks

6" x 12" = 4 x 16.66 = 67 blocks

6" x 6" = 4 x 16.66 = 67 blocks

3" x 18" = 4 x 16.66 = 67 blocks

3" x 12" = 4 x 16.66 = 67 blocks

3" x 6" = 4 x 16.66 = 67 blocks


Visit capitolconcrete.com for additional installation guides.

3" & 6" Vintage™ Freestanding Wall Patterns

The Vintage Freestanding Wall is visible on both sides. When installing the first thing to consider is the wall height and combination of wall patterns you want to use in your free standing wall design. To calculate the number of individual blocks required for your free standing wall, select a pattern and refer to the example calculations below. Since each pattern has a fixed number of blocks, calculating the quantity of blocks required is done by multiplying your total wall square footage by the individual blocks per pattern. To achieve more height the pattern can be repeated.

Block Installation Guide:  = Use back (shorter) sides of Vintage block  = Use front (longer) sides of Vintage block

Straight Wall




Block Required for 12" Tall Retaining Wall (5.66 SF)

- (A) 2 - 6" x 18" blocks = 1.5 SF
- (B) 2 - 6" x 12" blocks = .83 SF (use shorter side)
- (C) 2 - 6" x 6" blocks = .50 SF
- (D) 4 - 3" x 18" blocks = 1.5 SF
- (E) 4 - 3" x 12" blocks = .83 SF (use shorter side)
- (F) 4 - 3" x 6" blocks = .50 SF

Example: 150 SF Wall (150 ÷ 5.66 SF = 26.50 patterns)

- 6" x 18" = 2 x 26.50 = 53 blocks
- 6" x 12" = 2 x 26.50 = 53 blocks
- 6" x 6" = 2 x 26.50 = 53 blocks
- 3" x 18" = 2 x 26.50 = 53 blocks
- 3" x 12" = 2 x 26.50 = 53 blocks
- 3" x 6" = 2 x 26.50 = 53 blocks

Radius Wall




Block Required for 12" Tall Free Standing Wall (12 SF)

- (A) 5 - 6" x 18" blocks = 4.5 SF
- (B) 5 - 6" x 12" blocks = 2.00 SF
- (C) 5 - 6" x 6" blocks = 1.00 SF
- (D) 9 - 3" x 18" blocks = 2.25 SF
- (E) 11 - 3" x 12" blocks = 1.50 SF
- (F) 11 - 3" x 6" blocks = .75 SF

Example: 150 SF Wall (150 ÷ 12 SF = 12.5 patterns)

- 6" x 18" = 5 x 12.50 = 62 blocks
- 6" x 12" = 5 x 12.50 = 62 blocks
- 6" x 6" = 5 x 12.50 = 62 blocks
- 3" x 18" = 9 x 12.50 = 112 blocks
- 3" x 12" = 11 x 12.50 = 137 blocks
- 3" x 6" = 11 x 12.50 = 137 blocks

Radius Wall



Block Required for 18" Tall Free Standing (22.57 SF)

- (A) 10 - 6" x 18" blocks = 7.5 SF
- (B) 10 - 6" x 12" blocks = 5.07 SF
- (C) 10 - 6" x 6" blocks = 2.50 SF
- (D) 10 - 3" x 18" blocks = 3.75 SF
- (E) 10 - 3" x 12" blocks = 2.50 SF
- (F) 10 - 3" x 6" blocks = 1.25 SF

Example: 150 SF Wall (150 ÷ 22.57 SF = 6.6 patterns)

- 6" x 18" = 10 x 6.6 = 66 blocks
- 6" x 12" = 10 x 6.6 = 66 blocks
- 6" x 6" = 10 x 6.6 = 66 blocks
- 3" x 18" = 10 x 6.6 = 66 blocks
- 3" x 12" = 10 x 6.6 = 66 blocks
- 3" x 6" = 10 x 6.6 = 66 blocks

The Freestanding Wall patterns builds to a 8 foot radius and uses equal square feet of 3" & 6" product. Consult a qualified engineer for design considerations when building Vintage Freestanding Walls over 48" in height.



A Word Of Thanks

Capitol would like to thank the professional contractors who use our hardscape products.

The companies listed have been helpful in providing installation sites for the photography used in this catalog. Capitol extends an appreciative thank you for their assistance as well as to the homeowners who graciously allowed us to photograph their Capitol hardscapes.

Custom Landscape Systems
Edison, NJ 732-549-1650

Nicosia Masonry
Millstone Twp; NJ 732-446-0449

DCR Landscaping Construction
Metuchen, NJ 732-548-7577

Splendor Landscape Designs
Commack, NY 631-242-6058

Green Acres Nursery
Colmar, PA 215-822-3334

Tomasso Contracting, Inc.
Clark, NJ 732-381-2002

Mike Pantino Landscaping
Atlantic Highlands, NJ 732-583-9092

Vision Landscaping & Design
Rumson, NJ 732-796-9880



Efflorescence

Efflorescence is a whitish powder-like deposit, common in concrete and masonry products that normally will disappear over time with weathering. Although it may present an aesthetic concern, efflorescence will not affect the structural performance of the paver or wall stones. Efflorescence is a natural occurrence for which Capitol Pavers & Retaining Walls, Inc. accepts no responsibility or liability for this condition.

Product Photography

The product colors shown in this catalog are as accurate as the photography and printing process will allow. The lighting conditions in which the photographs were taken vary, resulting in obvious shifts in the colors. Capitol recommends that you base your final selection on actual product samples rather than on the photographs shown.


Paving & Wall Stones

Natural materials are used in the manufacturing of these products and variations in shade can be expected. Blended and in some cases solid colors may fluctuate in color range from production run to production run. In the case of blended colors there may instances of some showing more of one shade, some more of another and some fairly even of both. It is highly recommended when installing blended or solid color pavers to choose from several pallets to best disperse the gradation of the color(s).

Capitol's Collection Antiqued undergo's a process that is intended to give them the appearance of old world cobble. As a result of this unique treatment, no two pavers or wall stones will look the same. Within the pallet there will be pavers and wall stones which may have more tumbled characteristics than others including random surface marks along with other distress features.

It is recommended that approximately 1% of each project built with concrete paving stones be stored on-site for replacement in case of future damage. Capitol cannot guarantee the color match of any pavers ordered at a later date from the original installation.

Paving stone heights may vary by ± 1/8". All published sizes of Capitol's paver and wall products are nominal and approximate.



Do it right with™

CAPITOL
HARDSCAPES

FEATURING

DIAMONDCRETE™

Smooth ♦ Surface ♦ Technology

Call

800-254-5098

Click

capitolconcrete.com



Follow

CapitolPavers

90 Main Street, P.O. Box 3249, South Amboy, NJ 08879

Tel 732-727-5460 Fax 732-727-8714

info@capitolconcrete.com

Your Authorized Capitol Distributor



Proudly Manufactured in the U.S.A.

© 2012 Capitol Pavers & Retaining Walls, Inc. All rights reserved. Reproduction of any parts of the contents of this catalog is prohibited. Cottage Stone, Vintage and Classic are trademarks of Rockwood Retaining Walls.

